

INDEX TO VOLUME 58

Author Index

- Abdelrahman, A. A., and E. P. Farrell.** Note on use of an electrical conductance moisture meter to study tempering rates in grain sorghum, 307
- _____, and _____. Grits from grain sorghum dry milled on roller mills, 521
- Akingbala, J. O.** See C. F. Earp, 234
- Alnaji, L. K., and A. M. Kadoum.** Note on the effects of baking on methyl phoxim and malathion residues in bread, 74
- Anderson, R. A.** See R. J. Bothast, 309
- Anderson, Y., B. Hedlund, L. Jonsson, and S. Svensson.** Extrusion cooking of a high-fiber cereal product with crispbread character, 370
- Asp, N.-G.** See W. Frölisch, 524
- Bains, G. S.** See A. S. Narang, 92
- Bassim, M.** See M. Roushdi, 110
- Bates, L. S., M. Bender, and W. Jackson.** Eastern gama grass. Seed structure and protein quality, 138
- Bechtel, D. B., and Y. Pomeranz.** Ultrastructure and cytochemistry of mature oat (*Avena sativa* L.) endosperm. The aleurone layer and starchy endosperm, 61
- _____. See E. Dikeman, 148
- Bekele, E.** See R. N. Lester, 113
- Békés, F., and R. Lásztity.** Isolation and determination of amino acid sequence of avenothionin, a new purothionin analogue from oat (communication to the editor), 360
- Beleia, A., and E. Varriano-Marston.** Pearl millet amylases. I. Properties of partially purified alpha-amylase, 433
- _____, and _____. Pearl millet amylases. II. Activity toward intact and heated starch granules, 437
- Bell, B. M., D. G. H. Daniels, and N. Fisher.** Vacuum expansion of mechanically developed doughs at proof temperature: Effect of shortening, 182
- BeMiller, J. N., and G. W. Pratt.** Sorption of water, sodium sulfate, and water-soluble alcohols by starch granules in aqueous suspension, 517
- Bender, M.** See L. S. Bates, 138
- Bertrand, D., J. M. Brillouet, V. F. Rasper, B. Bouchet, and C. Mercier.** Effects of rat digestion upon native, enzymically or chemically modified wheat brans and native oat bran, 375
- Bhatia, I. S.** See A. S. Narang, 92
- Bhatt, G. M., G. M. Paulsen, K. Kulp, and E. G. Heyne.** Preharvest sprouting in hard winter wheats: Assessment of methods to detect genotypic and nitrogen effects and interactions, 300
- Bietz, J. A.** Amino-terminal amino acid sequence of hordein, 83
- _____. See A. Esen, 534
- Biliaderis, C. G., D. R. Grant, and J. R. Vose.** Structural characterization of legume starches. I. Studies on amylose, amylopectin, and beta-limit dextrins, 496
- _____, and _____. Structural characterization of legume starches. II. Studies on acid-treated starches, 502
- Black, L. T.** See G. E. Hamerstrand, 42
- Blanco, S.** See G. Ellenrieder, 291
- Bloksma, A. H.** Effect of surface tension in the gas-dough interface on the rheological behavior of dough, 481
- Bock, M. A.** See G. S. Ranhotra, 471
- Boisen, S., and R. Djurtoft.** Trypsin inhibitor from rye endosperm: Purification and properties, 194
- _____, and _____. Trypsin inhibitor from wheat endosperm: Purification and characterization, 460
- Boite, L. C.** See K. F. Finney, 355
- Bondoni, A.** See G. Ellenrieder, 291
- Booth, G. D.** See B. S. Miller, 201
- Bothast, R. J., R. A. Anderson, K. Warner, and W. F. Kwolek.** Effects of moisture and temperature on microbiological and sensory properties of wheat flour and corn meal during storage, 309
- _____. See J. E. Van Cauwenberge, 293
- Bouchet, B.** See D. Bertrand, 375
- Brillouet, J. M.** See D. Bertrand, 375
- Brown, R. B., G. N. Fulford, L. Otten, and T. B. Daynard.** Note on the suitability for wet milling of corn exposed to high drying temperatures at different moisture contents, 75
- Bruinsma, B. L., and K. F. Finney.** Functional (bread-making) properties of a new dry yeast, 477
- Bundy, K. T., M. E. Zabik, and J. I. Gray.** Edible beef tallow substitution in white layer cakes, 213
- Cain, R. F.** See K. R. Davis, 116
- Chang, C.-R., and C. C. Tsen.** Characterization and heat stability of trypsin inhibitors from rye, triticale, and wheat samples, 211
- _____, and _____. Isolation of trypsin inhibitors from rye, triticale, and wheat samples, 207
- Chang, H.-G., and P. Marakis.** Effect of moisture content on aflatoxin production in barley, 89
- Chaudhary, V. K., W. T. Yamazaki, and W. A. Gould.** Relation of cultivar and flour particle size distribution to cake volume, 314
- Chen, P. H.** See C. M. Weaver, 120
- Christianson, D. D., J. E. Hodge, D. Osborne, and R. W. Detroy.** Gelatinization of wheat starch as modified by xanthan gum, guar gum, and cellulose gum, 513
- Chung, H., P. A. Seib, K. F. Finney, and C. D. Magoffin.** Sucrose monoesters and diesters in breadmaking, 164
- Chung, O. K.** Introduction to symposium, 155
- _____, M. D. Shogren, Y. Pomeranz, and K. F. Finney. Defatted and reconstituted wheat flours. VII. The effects of 0-12% shortening (flour basis) in bread making, 69
- _____, C. C. Tsen, and R. J. Robinson. Functional properties of surfactants in breadmaking. III. Effects of surfactants and soy flour on lipid binding in breads, 220
- Clements, R. L., and J. R. Donelson.** Functionality of specific flour lipids in cookies, 204
- _____, and _____. Note on a simple device for monitoring batter expansion in layer cakes during baking, 153
- Connor, M. A., and P. M. Keagy.** Folacin retention and cookie diameter in enriched cookies: Regression analysis using factorial design, 239
- Daniels, D. G. H.** See B. M. Bell, 182
- Danno, G.** Extraction of unreduced glutenin from wheat flour with sodium dodecyl sulfate, 111
- D'Appolonia, B. L., and M. M. Morad.** Bread staling, 186
- _____. See L. A. MacArthur, 53
- _____. See G. F. Marais, 444, 448
- Da Silva, R. S. F.** See N. Waszczyński, 264
- Davis, K. R.** Proximate composition, phytic acid, and total phosphorus of selected breakfast cereals, 347
- _____. Effect of processing on composition and *Tetrahymena* relative nutritive value of green and yellow peas, lentils, and white pea beans, 454
- _____, R. F. Cain, L. J. Peters, D. Le Tourneau, and J. McGinnis. Evaluation of the nutrient composition of wheat. II. Proximate analysis, thiamin, riboflavin, niacin, and pyridoxine, 116
- Daynard, T. B.** See R. B. Brown, 75
- Detroy, R. W.** See D. D. Christianson, 513
- Dexter, J. E., and R. R. Matsuo.** Effect of starchy kerne' immaturity, and shrunken kernels on durum wheat quality, 395
- Dikeman, E., D. B. Bechtel, and Y. Pomeranz.** Distribution of elements in the rice kernel determined by X-ray analysis and atomic absorption spectroscopy, 148
- _____. See F. S. Lai, 417
- Dintzis, F. R., and C. C. Harris.** Starch determination in some dietary fiber sources, 467
- Djurtoft, R.** See S. Boisen, 194, 460
- Donelson, J. R.** See R. L. Clements, 153, 204
- Douglas, S.** See B. G. Osborne, 474
- Dyck, P. L.** See F. G. Kosmolak, 246
- Earp, C. F., J. O. Akingbala, S. H. Ring, and L. W. Rooney.** Evaluation of several methods to determine tannins in sorghums with varying kernel characteristics, 234
- Ellenrieder, G., S. Blanco, and A. Bondoni.** Thermal inactivation of trypsin inhibitors in aqueous extracts of soybeans. Studies on substances that accelerate inactivation, 291

- Ellis, R., and E. R. Morris. Relation between phytic acid and trace metals in wheat bran and soybean, 367
 ———. See E. R. Morris, 363
- El-Meligi, A. See M. Roushdi, 110
- El-Minyawi, M. A., and M. E. Zabik. Cottonseed flour's functionality in Egyptian baladi bread, 413
- El-Samahy, S. K., and C. C. Tsen. Effects of varying baking temperature and time on the quality and nutritive value of baladi bread, 546
- Endo, S., S. Nagao, and K. Tanaka. Interpretation of Do-Corder curves. Identificatoristics, 538
 ———. See S. Nagao, 384, 388; *encasing curve charac*
- Erdman, J. W., Jr. Bioavailability of trace minerals from cereals and legumes, 21
- Esen, A., J. A. Beitz, J. W. Paulis, and J. S. Wall. Fractionation of alcohol-soluble reduced corn glutelins on phosphocellulose and partial characterization of two proline-rich fractions, 534
- Evans, B. D. See D. M. Wilson, 40
- Faber, S. See N. Prentice, 77
- Faridi, H. A., P. L. Finney, and G. L. Rubenthaler. Micro baking evaluation of some U.S. wheat classes for suitability in Iranian breads, 428
 ———. See G. S. Ranhotra, 471
- Farrell, E. P. See A. A. Abdelrahman, 307, 521
- Faubion, J. M., and R. C. Hoseney. Lipoxigenase: Its biochemistry and role in breadmaking, 175
 ———. See R. C. Hoseney, 421
- Fearn, T. See B. G. Osborne, 474
- Feuge, R. O. See H. J. Zeringue, Jr., 351
- Finney, K. F., O. Natsuaki, L. C. Bolte, P. R. Mathewson, and Y. Pomeranz. Alpha-amylase in field-sprouted wheats: Its distribution and effect on Japanese-type sponge cake and related physical and chemical tests, 355
 ———. See H. Chung, 164
 ———. See O. K. Chung, 69
 ———. See M. D. Shogren, 142
 ———. See B. L. Bruinsma, 477
- Finney, P. L. See H. A. Faridi, 428
 ———. See G. S. Ranhotra, 471
- Fisher, N. See B. M. Bell, 182
- Fröllich, W., and N.-G. Asp. Dietary fiber content in cereals in Norway, 524
- Fry, B. E., Jr. See M. R. Spivey Fox, 6
- Fulcher, R. G., T. P. O'Brien, and S. I. Wong. Microchemical detection of niacin, aromatic amine, and phytin reserves in cereal bran, 130
- Fulford, G. N. See R. B. Brown, 75
- Geilroth, J. A. See G. S. Ranhotra, 127, 471
- Glover, J. D. See G. E. Hamerstrand, 42
- Gordon, H. T. See P. M. Ranum, 32
- Gould, W. A. See V. K. Chaudhary, 314
- Graham, H. D. See P. J. Loos, 282
- Grant, D. R. See C. G. Biliaderis, 496, 502
 ———. See P. R. Patel, 249
- Gray, J. I. See K. T. Bundy, 213
 ———. See P. N. Maheshwari, 381
- Hackler, L. R. Symposium introduction—Impact of foods on trace mineral availability and metabolism, 1
- Hamerstrand, G. E., L. T. Black, and J. D. Glover. Trypsin inhibitors in soy products: Modification of the standard analytical procedure, 42
- Hamilton, R. P. See M. R. Spivey Fox, 6
- Harland, B. F. See M. R. Spivey Fox, 6
- Harras, A. See M. Roushdi, 110
- Harris, C. C. See F. R. Dintzis, 467
- Heckley, M. J. See B. G. Osborne, 474
- Hedlund, B. See Y. Anderson, 370
- Hesseltine, C. W. See O. L. Shotwell, 124
- Heyne, E. G. See G. M. Bhatt, 300
 ———. See A. J. McCrate, 424
- Hizukuri, S. See A. Suzuki, 286
- Hodge, J. E. See D. D. Christianson, 513
- Holme, J. See D. Paton, 527
- Hood, L. F. See P. J. Loos, 282
- Hoseney, R. C., and J. M. Faubion. A mechanism for the oxidative gelation of wheat flour water-soluble pentosans, 421
 ———. See J. M. Faubion, 175
 ———. See R. C. Junge, 338, 408
 ———. See U. Tangkongchitr, 226, 229
- Hron, R. J., Sr. Differential settling test for evaluation of liquid cyclone classification performance, 334
- Hsieh, C. C., C. A. Watson, and C. E. McDonald. Direct gas chromatographic estimation of saturated steryl esters and acylglycerols in wheat endosperm, 106
- Hughes, J. W. See B. S. Miller, 201
- Iyengar, R. B., and P. Ravestien. New aspects of subunit structure of soybean glycinin, 325
- Jackson, W. See L. S. Bates, 138
- Jacobs, R. M. See M. R. Spivey Fox, 6
- Janghorbani, M. See V. R. Young, 12
- Jones, A. O. L. See M. R. Spivey Fox, 6
- Jonsson, L. See Y. Anderson, 370
- Junge, R. C., and R. C. Hoseney. A mechanism by which shortening and certain surfactants improve loaf volume in bread, 408
 ———, ———, and E. Varriano-Marston. Effect of surfactants on air incorporation in dough and the crumb grain of bread, 338
- Kadoun, A. M. See L. K. Alnaji, 74
- Keagy, P. M. See M. A. Connor, 239
- Kelsay, J. L. Effect of diet fiber level on bowel function and trace mineral balance of human subjects, 2
- Kilborn, R. H., S. Nomura, and K. R. Preston. Sponge-and-dough bread. I. Reduction of fermentation time and bromate requirement by the incorporation of salt in the sponge, 508
 ———, and K. R. Preston. A dough height tracker and its potential application to the study of dough characteristics, 198
 ———, and K. H. Tipples. Heat sink reference oven, 295
- Kingswood, K. See P. K. Skeggs, 256
- Kirleis, A. W., L. E. Sommers, and D. W. Nelson. Heavy metal content of groats and hulls of oats grown on soil treated with sewage sludges, 530
- Kito, M. See Y. Nakayama, 260
- Knightly, W. H. Shortening systems: Fats, oils, and surface-active agents—Present and future, 171
- Kosmolak, F. G., and P. L. Dyck. Milling and baking qualities of ten spring wheat cultivars from the People's Republic of China, 246
- Krog, N. Theoretical aspects of surfactants in relation to their use in breadmaking, 158
- Kruger, J. E., and K. H. Tipples. Modified procedure for use of the Perkin-Elmer model 191 grain amylase analyzer in determining low levels of α -amylase in wheats and flour, 271
- Kulp, K., and K. Lorenz. Heat-moisture treatment of starches. I. Physicochemical properties, 46
 ———. See G. M. Bhatt, 300
 ———. See K. Lorenz, 49
- Kwolek, W. F. See R. J. Bothast, 309
- Labaneiah, M. E. O., and B. S. Luh. Changes of starch, crude fiber, and oligosaccharides in germinating dry beans, 135
- Lai, F. S., Y. Pomeranz, C. R. Martin, E. Dikeman, and B. S. Miller. Mineral components of grain dust, 417
- Lamkin, W. M., B. S. Miller, S. W. Nelson, D. D. Traylor, and M. S. Lee. Polyphenol oxidase activities of hard red winter, soft red winter, hard red spring, white common, club, and durum wheat cultivars, 27
- Larocque, G. M. See D. Paton, 527
- Lásztity, R. See F. Békés, 360
- Lee, C. See G. S. Ranhotra, 127
- Lee, M. S. See W. M. Lamkin, 27
- Lester, R. N., and E. Bekele. Amino acid composition of the cereal tef and related species of *Eragrostis* (Gramineae), 113
- Le Tourneau, D. See K. R. Davis, 116
- Loewe, R. J. See P. M. Ranum, 32
- Loos, P. J., L. F. Hood, and H. D. Graham. Isolation and characterization of starch from breadfruit, 282
- Lorenz, K., and K. Kulp. Heat-moisture treatment of starches. II. Functional properties and baking potential, 49
 ———, and M. Wolt. Effect of altitude on falling number values of flours, 80
 ———. See K. Kulp, 46
- Luh, B. S. See M. E. O. Labaneiah, 135
- MacArthur, L. A., and B. L. D'Appolonia. Effects of microwave radiation and storage on hard red spring wheat flour, 53
- MacRitchie, F. Flour lipids: Theoretical aspects and functional properties, 156
- Magoffin, C. D. See H. Chung, 164
- Maheshwari, P. N., D. W. Stanley, F. R. Van de Voort, and J. I. Gray. Effect of microwave treatment on the microstructure of dehulled rapeseed, 381

- Marais, G. F., and B. L. D'Appolonia. Factors contributing to baking quality differences in hard red spring wheat. I. Bases for different loaf volume potentials, 444
- _____, and _____. Factors contributing to baking quality differences in hard red spring wheat. II. Bases for different mixing properties, 448
- Markakis, P. See H.-G. Chang, 89
- Marti, L. R. See D. M. Wilson, 40
- Martin, C. R. See F. S. Lai, 417
- Mathewson, P. R. See K. F. Finney, 355
- Matsumoto, H. See T. Mita, 57
- Matsuo, R. R. See J. E. Dexter, 395
- Matthews, J., J. I. Wadsworth, and J. J. Spadaro. Chemical composition of Starbonnet variety rice fractionated by rough-rice kernel thickness, 331
- McCrate, A. J., M. T. Nielsen, G. M. Paulsen, and E. G. Heyne. Preharvest sprouting and α -amylase activity in hard red and hard white winter wheat cultivars, 424
- McDonald, C. E. See C. C. Hsieh, 106
- McGinnis, J. See K. R. Davis, 116
- Mercier, C. See D. Bertrand, 375
- Mifflin, B. J. See C. M. Wilson, 275
- Miller, B. S., J. W. Hughes, R. Rousser, and G. D. Booth. Effects of modifications of a model CK2 Stein breakage tester on corn breakage susceptibility, 201
- _____. See F. S. Lai, 417
- Minami, J. See M. Terada, 101
- Mita, T., and H. Matsumoto. Flow properties of aqueous gluten and gluten methyl ester dispersion, 57
- Moorhouse, C. See B. G. Osborne, 474
- Morad, M. M. See B. L. D'Appolonia, 186
- Morris, E. R., and R. Ellis. Phytate-zinc molar ratio of breakfast cereals and bioavailability of zinc to rats, 363
- _____. See R. Ellis, 367
- Nagao, S., S. Endo, K. Takeya, and K. Tanaka. The Do-Corder as a possible tool to evaluate the bread-making properties of a dough, 384
- _____, _____, and K. Tanaka. Effect of fermentation on the Do-Corder and bread-making properties of a dough, 388
- _____. See S. Endo, 538
- Nakayama, Y., K. Saio, and M. Kito. Decomposition of phospholipids in soybeans during storage, 260
- Narang, A. S., G. S. Bains, and I. S. Bhatia. Physical and hydrodynamic studies on salt-soluble proteins of mungbean, 92
- Natsuaki, O. See K. F. Finney, 355
- Nelson, D. W. See A. W. Kirleis, 530
- Nelson, S. O. Review of factors influencing the dielectric properties of cereal grains, 487
- Nelson, S. W. See W. M. Lamkin, 27
- Newman, C. W. See N. J. L. Roth, 245
- Nielsen, M. T. See A. J. McCrate, 424
- Nomura, S. See R. H. Kilborn, 508
- O'Brien, T. P. See R. G. Fulcher, 130
- Oomah, B. D., R. D. Reichert, and C. G. Youngs. A novel, multi-sample, tangential abrasive dehulling device (TADD), 392
- _____, _____, and _____. Quantitative comparison between Carborundum stones and resinoid disks in dehulling cereal grains, 492
- Osborne, B. G., S. Douglas, T. Ferrari, C. Moorhouse, and M. J. Heckley. Collaborative evaluation of a rapid nephelometric method for the measurement of α -amylase in flour, 474
- Osborne, D. See D. D. Christianson, 513
- Otten, L. See R. B. Brown, 75
- Patel, P. R., C. G. Youngs, and D. R. Grant. Preparation and properties of spray-dried pea protein concentrate-cheese whey blends, 249
- Paton, D. Behavior of Hinoat oat starch in sucrose, salt, and acid solutions, 35
- _____, G. M. Larocque, and J. Holme. Development of cake structure: Influence of ingredients on the measurement of cohesive force during baking, 527
- _____, and W. A. Spratt. Simulated approach to the estimation of degree of cooking of an extruded cereal product, 216
- Paulis, J. W. Disulfide structure of zein proteins from corn endosperm, 542
- _____. See A. Esen, 534
- Paulsen, G. M. See G. M. Bhatt, 300
- _____. See A. J. McCrate, 424
- Peters, L. J. See K. R. Davis, 116
- Pomeranz, Y. Wrap-up of symposium on theory and application of lipid-related materials in breadmaking: Today and tomorrow (not yesterday), 190
- _____. See D. B. Bechtel, 61
- _____. See O. K. Chung, 69
- _____. See E. Dikeman, 148
- _____. See K. F. Finney, 355
- _____. See F. S. Lai, 417
- _____. See M. D. Shogren, 142
- Ponte, J. G., Jr. See S. K. Sathe, 97
- Pratt, G. W. See J. N. BeMiller, 517
- Prentice, N., and S. Faber. Beta-D-glucan in developing and germinating barley kernels, 77
- Preston, K. R. Effects of neutral salts upon wheat gluten protein properties. I. Relationship between the hydrophobic properties of gluten proteins and their extractability and turbidity in neutral salts, 317
- _____. See R. H. Kilborn, 198, 508
- Qualset, C. O. See G. Shariff, 86
- Rakowska, M. See M. R. Spivey Fox, 6
- Rangnekar, P. D. See S. K. Sathe, 97
- Ranhotra, G. S., J. A. Gelroth, F. A. Torrence, M. A. Bock, G. L. Winterringer, H. A. Faridi, and P. L. Finney. Iranian flat breads: Relative bioavailability of iron, 471
- _____, C. Lee, J. A. Gelroth, G. L. Winterringer, and F. A. Torrence. Bioavailability of iron, magnesium, zinc, and calcium in commercially produced citrate phosphate complexes, 127
- Ranum, P. M., R. J. Loewe, and H. T. Gordon. Effect of bleaching, maturing, and oxidizing agents on vitamins added to wheat flour, 32
- Rao, C. S. See N. Waszczynskyj, 264
- Rasper, V. F. See D. Bertrand, 375
- Ravestein, P. See R. B. Iyengar, 325
- Reichert, R. D. Quantitative isolation and estimation of cell wall material from dehulled pea (*Pisum sativum*) flours and concentrates, 266
- Reichert, R. D. See B. D. Oomah, 392, 492
- Ring, S. H. See C. F. Earp, 234
- Ritchey, S. J. Interrelationships among protein, zinc, and copper in human nutrition, 18
- Robinson, R. J. See O. K. Chung, 220
- Rooney, L. W. See C. F. Earp, 234
- Roth, N. J. L., G. H. Watts, and C. W. Newman. Beta-glucanase as an aid in measuring neutral detergent fiber in barley kernels, 245
- Roushdi, M., A. Harras, A. El-Meligi, and M. Bassim. Effect of high doses of gamma rays on corn grains. I. Influence on the chemical composition of whole grains and the technological process of starch and by-product isolation, 110
- Rousser, R. See B. S. Miller, 201
- Rubenthaler, G. L., See H. A. Faridi, 428
- Ryneearson, S. L. See C. M. Weaver, 120
- Saio, K. See Y. Nakayama, 260
- Salunkhe, D. K. See S. K. Sathe, 97
- Sathe, S. K., J. G. Ponte, Jr., P. D. Rangnekar, and D. K. Salunkhe. Effects of addition of Great Northern bean flour and protein concentrates of rheological properties of dough and baking quality of bread, 97
- Seib, P. A. See H. Chung, 164
- _____. See U. Tangkongsitr, 226, 229
- Sexson, K. R. See Y. V. Wu, 343
- Shariff, G., P. Vohra, and C. O. Qualset. Further studies on the nutritional evaluation of wheat, triticale, and rice grains using the red flour beetle, 86
- Shepherd, A. D. Note on how a typical sorghum peels, 303
- _____. Laboratory abrasive decorticating mill—influence of machine and operating variables, 463
- Shewry, P. R. See C. M. Wilson, 275
- Shogren, M. D., Y. Pomeranz, and K. F. Finney. Counteracting the deleterious effects of fiber in breadmaking, 142
- _____. See O. K. Chung, 69
- Shotwell, O. L., and C. W. Hesseltine. Use of bright greenish yellow fluorescence as a presumptive test for aflatoxin in corn, 124
- Singh, B. See H. J. Zeringue, Jr., 351
- Skeggs, P. K., and K. Kingswood. Mechanical dough development—pilot scale studies, 256
- Sommers, L. E. See A. W. Kirleis, 530
- Sosulski, F. W. See R. T. Tyler, 144
- Spadaro, J. J. See J. Matthews, 331
- Spivey Fox, M. R., R. M. Jacobs, A. O. L. Jones, B. E. Fry, Jr., M. Rakowska, R. P. Hamilton, B. F. Harland, C. L. Stone, and S.-H. Tao. Animal models for assessing bioavailability of essential and toxic elements, 6
- Spratt, W. A. See D. Paton, 216
- Stanley, D. W. See P. N. Maheshwari, 381

- Stone, C. L. See M. R. Spivey Fox, 6
- Suzuki, A., S. Hizukuri, and Y. Takeda. Physicochemical studies of kuzu starch, 286
- Svensson, S. See Y. Anderson, 370
- Takeda, Y. See A. Suzuki, 286
- Takeya, K. See S. Nagao, 384
- Tanaka, K. See S. Nagao, 384, 388
- See S. Endo, 538
- Tangkongchitr, U., P. A. Seib, and R. C. Hoseney. Phytic acid. I. Determination of three forms of phosphorus in flour, dough, and bread, 226
- , —, and —. Phytic acid. II. Its fate during breadmaking, 229
- Tao, S.-H. See M. R. Spivey Fox, 6
- Terada, M., J. Minami, and T. Yamamoto. Rheological properties of dough made from flour exposed to gaseous ammonia, 101
- Tipples, K. H. See R. H. Kilborn, 295
- See J. E. Kruger, 271
- Torrence, F. A. See G. S. Ranhotra, 127, 471
- Traylor, D. D. See W. M. Lamkin, 27
- Tsen, C. C., and J. Weber. Dough properties and proof times of yeasted doughs affected by surfactants, 180
- See C.-R. Chang, 207, 211
- See O. K. Chung, 220
- See S. K. El-Samahy, 546
- Tyler, R. T., C. G. Youngs, and F. W. Sosulski. Air classification of legumes. I. Separation efficiency, yield, and composition of the starch and protein fractions, 144
- Van Cauwenberge, J. E., R. J. Bothast, and D. C. Young. Comparison of controlled-release ammonia solutions and aqueous ammonia for preserving high-moisture maize, 293
- Van de Voort, F. R. See P. N. Maheshwari, 381
- Varriano-Marston, E. See A. Beleia, 433, 437
- See R. C. Junge, 338
- Vohra, P. See G. Shariff, 86
- Volpe, T. A., and M. E. Zabik. Single-cell protein substitution in a bread system: Rheological properties and product quality, 441
- Vose, J. R. See C. G. Biliaderis, 496, 502
- Wadsworth, J. I. See J. Matthews, 331
- Wall, J. S. See A. Esen, 534
- See Y. V. Wu, 343
- Warner, K. See R. J. Bothast, 309
- Waszczynski, N., C. S. Rao, and R. S. F. Da Silva. Extraction of proteins from wheat bran: Application of carbohydrases, 264
- Watson, C. A. See C. C. Hsieh, 106
- Watts, G. H. See N. J. L. Roth, 245
- Weaver, C. M., P. H. Chen, and S. L. Ryneearson. Effect of milling on trace element and protein content of oats and barley, 120
- Weber, J. See C. C. Tsen, 180
- Widstrom, N. W. See D. M. Wilson, 40
- Wilson, C. M. Variations in soluble endosperm proteins of corn (*Zea mays* L.) inbreds as detected by disc gel electrophoresis, 401
- , P. R. Shewry, and B. J. Mifflin. Maize endosperm proteins compared by sodium dodecyl sulfate gel electrophoresis and isoelectric focusing, 275
- Wilson, D. M., N. W. Widstrom, L. R. Marti, and B. D. Evans. *Aspergillus flavus* group, aflatoxin, and bright greenish yellow fluorescence in insect-damaged corn in Georgia, 40
- Winterringer, G. L. See G. S. Ranhotra, 127, 471
- Wolt, M. See K. Lorenz, 80
- Wong, S. I. See R. G. Fulcher, 130
- Wu, Y. V., K. R. Sexson, and J. S. Wall. Protein-rich residue from corn alcohol distillation: Fractionation and characterization, 343
- Yamamoto, T. See M. Terada, 101
- Yamazaki, W. T. See V. K. Chaudhary, 314
- Young, D. C. See J. E. Van Cauwenberge, 293
- Young, V. R., and M. Janghorbani. Soy proteins in human diets in relation to bioavailability of iron and zinc: A brief overview, 12
- Youngs, C. G. See B. D. Oomah, 392, 492
- See P. R. Patel, 249
- See R. T. Tyler, 144
- Zabik, M. E. See K. T. Bundy, 213
- See M. A. El-Minyawi, 413
- See T. A. Volpe, 441
- Zeringue, H. J., Jr., B. Singh, and R. O. Feuge. Triticale lipids: Composition and bread-making characteristics of triticale flours, 351

Subject Index

Pages of errata are in boldface italics.

Aflatoxin

- contamination in corn (Wilson et al), 40
- contamination in corn; presumptive test using BGY fluorescence (Shotwell and Hesseltine), 124
- production in barley, moisture effect (Chang and Markakis), 89

Air classification

- cakes from intermediate cuts from (Chaudhary et al), 314
- of grain legumes, separation efficiency and fraction composition (Tyler et al), 144
- legumes, effects on composition of (Davis), 454

Amino acids

- composition of tef grains, negative correlation of lysine with glutamic acid (Lester and Bekele), 113
- in eastern gama grass (Bates et al), 138

Ammonia

- aqueous and controlled-release; preserving high-moisture maize with (Van Cauwenberge et al), 293

α -Amylase

- activity in hard red and hard white wheats (McCrack et al), 424
- activity of pearl millet amylases toward starch granules (Beleia and Varriano-Marston), 437
- falling number, effect of altitude (Lorenz and Wolt), 80
- in field-sprouted wheat; distribution and effect on Japanese-type sponge cake (Finney et al), 355
- modified procedure for determination of low levels (Kruger and Tipples), 271
- nephelometric method for determination in flour (Osborne et al), 474

- properties of in pearl millet (Beleia and Varriano-Marston), 433
- wheat, detection of genotypic and nitrogen effects (Bhatt et al), 300

Amylose

- legume starches (Biliaderis et al), 486

Baking

- balady bread; effects of temperature and time on quality and nutritive value of (El-Samahy and Tsen), 546
- bread; incorporation of salt in sponge for reduced fermentation time and bromate requirement (Kilborn et al), 508
- cake; development of structure (Paton et al), 527
- cake; device for monitoring expansion (Clements and Donelson), 153
- cakes; edible beef tallow substitution in (Bundy et al), 213
- cake and bread; starch heat-moisture treatment, functional properties and baking potential (Lorenz and Kulp), 49
- cake and bread; starch heat-moisture treatment, physicochemical properties (Kulp and Lorenz), 46
- Chinese and Canadian spring wheat cultivars compared (Kosmolak and Dyck), 246
- cookies; functionality of specific flour lipids (Clements and Donelson), 204
- cookies; regression analysis of diameter and folacin retention (Connor and Keagy), 239
- differences in wheat varieties (Marais and D'Appolonia), 444, 448
- effects on methyl phoxim and malathion residues (Alnaji and Kadoum), 74
- heat sink reference oven for (Kilborn and Tipples), 295
- lipoxigenase role in (Faubion and Hoseney), 175

- microwave radiation and storage effects on flour (MacArthur and D'Appolonia), 53
- quality of pea protein concentrate-cheese whey blends (Patel et al), 249
- shortening systems for (Knightly), 171
- surfactant effect on air incorporation and crumb grain (Junge et al), 338
- Barley**
- amino-terminal amino acid sequence of hordein (Bietz), 83
- beta-glucanase to measure neutral detergent fiber (Roth et al), 245
- beta-D-glucans in developing and germinating kernels (Prentice and Faber), 77
- dehulling of (Oomah et al), 492
- moisture content effect on aflatoxin production (Chang and Markakis), 89
- multi-sample dehulling device (Oomah et al), 392
- trace element and protein content in milled fractions (Weaver et al), 120
- Beans**
- dry; starch, crude fiber, and oligosaccharide changes in (Labaneiah and Luh), 135
- Great Northern; flour and protein concentrations, effects on dough rheology and bread-baking quality (Sathe et al), 97
- Bioavailability**
- assessment with animal models (Spivey Fox et al), 6
- of iron in flat breads (Ranhotra et al), 471
- of iron and zinc, relation to soy proteins in human diets (Young and Janghorbani), 12
- of minerals (Ranhotra et al), 127
- of trace minerals from cereals and legumes (Erdman), 21
- of zinc in breakfast cereals (Morris and Ellis), 363
- Bran**
- extraction of proteins (Waszczynskyj et al), 264
- micro baking evaluation of U.S. wheats for Iranian breads (Faridi et al), 428
- niacin, aromatic amine, and phytin reserve detection in (Fulcher et al), 130
- oat and wheat; rat digestion effect on (Bertrand et al), 375
- produced during sorghum decortication (Shepherd), 303
- starch content (Dintzis and Harris), 467
- wheat; as ingredient in high-fiber extruded product (Anderson et al), 370
- Bread and bread making**
- baladi bread; cottonseed flour substitution in (El-Minyawi and Zabik), 413
- balady bread; quality and nutritive value of (El-Samahy and Tsen), 546
- Do-Corder to evaluate bread-making properties of dough (Nagao et al), 384
- effect of single cell protein alone and with salty oxidant and surfactant on dough rheology and bread quality (Volpe and Zabik), 441
- fiber in, counteracting deleterious effects of (Shogren et al), 142
- flour lipids; theoretical aspects and functional properties (MacRitchie), 156
- Great Northern bean flour and protein concentrate effects on (Sathe et al), 97
- heat sink reference oven for (Kilborn and Tipples), 295
- lipid-related materials in, theory and application (Chung), 155
- mechanism for shortening and surfactants improving loaf volume (Junge and Hosney), 408
- micro baking evaluation of U.S. wheats for Iranian breads (Faridi et al), 428
- mixing tolerance (Skeggs and Kingswood), 256
- pea protein concentrate-cheese whey blend used in (Patel et al), 249
- phytic acid determination (Tangkongchitr et al), 226
- phytic acid loss during (Tangkongchitr et al), 229
- potential and quality (Pomeranz), 190
- properties of new dry yeast (Bruinsma and Finney), 477
- role of fermentation in bread making (Nagao et al), 388
- salt in sponge for reduction of fermentation time and bromate requirement (Kilborn et al), 508
- shortening level effect on flour (Chung et al), 69
- staling factors (D'Appolonia and Morad), 186
- sucrose monoesters and diesters in (Chung et al), 164
- surfactant effect on air incorporation in doughs (Junge et al), 338
- surfactant functional properties in (Chung et al), 220
- surfactant use in, theoretical aspects of (Krog), 158
- triticale lipids, composition of triticale flours (Zeringue et al), 351
- Breadfruit**
- isolation and characterization of starch from (Loos et al), 282
- Cakes and cookies**
- cakes; development of structure (Paton et al), 527
- cakes; edible beef tallow substitution in (Bundy et al), 213
- cakes; effect of field-sprouted wheat and α -amylase on Japanese-type sponge (Finney et al), 355
- cakes; flour particle size relation to quality of (Chaudhary et al), 314
- cookies; diameter and folacin retention, regression analysis using factorial design (Connor and Keagy), 239
- cookies; functionality of specific flour lipids (Clements and Donelson), 204
- device for monitoring expansion (Clements and Donelson), 153
- Carbohydrates**
- starch importance in bread staling (D'Appolonia and Morad), 186
- Cereal**
- breakfast; bioavailability of zinc, influence of phy/Zn molar ratio (Morris and Ellis), 363
- dietary fiber determination in (Fröligh and Asp), 524
- nutritional evaluation of wheat, triticale, and rice (Shariff et al), 86
- proximate composition, phytic acid and phosphorus content of (Davis), 347
- Cereal grains**
- decortication of sorghum (Shepherd), 303
- dielectric properties of; influence of moisture, density, and temperature (Nelson), 487
- laboratory-scale decortication of (Shepherd), 463
- protein amino acids in tef (Lester and Bekele), 113
- Corn**
- aflatoxin contaminated; presumptive test (Shotwell and Hesselstine), 124
- aflatoxin contamination and BGY fluorescence in (Wilson et al), 40
- alcohol distillation; fractionation of protein-rich residue from (Wu et al), 343
- artificial drying of (Brown et al), 75
- breakage susceptibility measurement (Miller et al), 201
- dielectric properties of; influence of moisture, density, and temperature (Nelson), 487
- differential settling test to evaluate liquid cyclone classification performance (Hron), 334
- disc gel electrophoresis of soluble endosperm proteins of inbreds (Wilson), 401
- glutelins; fraction of (Esen et al), 534
- grains; gamma ray effect on (Roushdi et al), 110
- protein; comparison by gel electrophoresis (Wilson et al), 275
- zein protein; structure of (Paulis), 542
- Cornmeal**
- moisture and temperature effects on microbiological and sensory properties of (Bothast et al), 309
- Cottonseed**
- differential settling test to evaluate liquid cyclone classification performance (Hron), 334
- Cultivar**
- flour particle size distribution related to cake volume (Chaudhary et al), 314
- Dehulling**
- of barley and sorghum (Oomah et al), 492
- multi-sampling dehulling device (Oomah et al), 392
- Dough**
- characteristics studied by height tracker (Kilborn and Preston), 198
- Do-Corder to evaluate bread-making properties of (Nagao et al), 384
- fermentation effect on bread-making properties of (Nagao et al), 388
- mixing and development (Pomeranz), 190
- mixing tolerance, effect of mixer speed and work input (Skeggs and Kingswood), 256
- phytic acid loss during fermentation (Tangkongchitr et al), 229
- rheological properties of, made from gaseous ammonia-treated flour (Terada et al), 101
- surface tension effect on rheological behavior (Bloksma), 481
- surfactant effect (Tsen and Weber), 180
- surfactant effect on air incorporation (Junge et al), 338
- vacuum expansion of mechanically developed (Bell et al), 182
- Electrophoresis**
- corn proteins, comparisons of fractions (Wilson et al), 275
- of soluble endosperm proteins of corn inbreds (Wilson), 401
- zein fractionation on Sephadex G-200 (Paulis), 542
- Enzymes**
- α -amylase activity, effect of altitude on FN value (Lorenz and Wolt), 80
- applications to wheat bran (Waszczynskyj et al), 264
- breadmaking functionality and enzymatic properties of lipoxigenase (Faubion and Hosney), 175
- method for determining low levels of α -amylase in wheat and flour (Kruger and Tipples), 271
- role of peroxidase and tyrosinase in oxidative gelation (Hosney and Faubion), 401
- starch determination in brans with glucoamylases (Dintzis and Harris), 467
- trypsin inhibitors from rye, triticale, and wheat samples, characterization

and heat stability (Chang and Tsen), 211
 trypsin inhibitors isolated from rye, triticale, and wheat samples (Chang and Tsen), 207

Errata
 Gaines and Tsen (Vol. 57, p. 429), 154
 Hsieh et al (Vol. 58, p. 106), 362
 Pomeranz et al (Vol. 52, p. 849), 480
 Ranum et al (Vol. 58, p. 32), 248
 Varriano-Marston et al (Vol. 57, p. 242), 248

Extrusion cooking
 estimation of degree of cooking (Paton and Spratt), 216
 twin-screw; of high-fiber cereal product (Anderson et al), 370

Fermentation
 dough height tracker application in study of dough characteristics (Miller et al), 201
 effect on bread-making performance (Nagao et al), 388

Fiber
 in breadmaking; counteracting deleterious effects (Shogren et al), 142
 cell wall material from peas (*Pisum sativum*) (Reichert), 266
 changes in germinating dry beans (Labaneiah and Luh), 135
 dietary; in breakfast cereals (Morris and Ellis), 363
 dietary; determination in wheat flour, wheat bran, and rye flour (Frølich and Asp), 524
 dietary; in diets containing native oat bran and native, enzymically, or chemically modified wheat brans (Bertrand et al), 375
 dietary; in high-fiber extruded product (Anderson et al), 370
 effect on human bowel function and trace mineral balances (Kelsay), 2
 neutral detergent; measurement of in barley kernels (Roth et al), 245

Flat bread
 bioavailability of iron in (Ranhotra et al), 471
 micro baking evaluation of U.S. wheats in Iranian (Faridi et al), 428

Flour
 cakes from soft and hard wheat air classified or wet fractionated (Chaudhary et al), 314
 components influencing Do-Corder curves (Endo et al), 538
 defatted and reconstituted wheat; shortening level effect (Chung et al), 69
 gaseous ammonia treatment (Terada et al), 101
 isolation and estimation of cell wall material from peas (Reichert), 266
 legume; composition and protein quality of (Davis), 454
 lipids; theoretical aspects and functional properties (MacRitchie), 156
 method for determining α -amylase of (Kruger and Tipples), 271
 microwave radiation and storage effects on (MacArthur and D'Appolonia), 53
 nephelometric method for measuring alpha-amylase in (Osborne et al), 474
 neutral lipids in (Hsieh et al), 106, 362
 protein level and mixing tolerance (Skeggs and Kingswood), 256
 type and condition influence on expansion (Bell et al), 182
 wheat; extraction of unreduced glutenin with SDS (Danno), 311
 wheat; moisture and temperature effects on microbiological and sensory properties of (Bothast et al), 309
 wheat; relation between hydrophobic properties of gluten proteins and extractability and turbidity in neutral salts (Preston), 317

Germination
 α -amylase effect in hard red and hard white wheats (McCrane et al), 424
 wheat, assessment of methods (Bhatt et al), 300

Gluten
 flow properties of dispersion (Mita and Matsumoto), 57
 wheat; neutral salt effects on protein properties of (Preston), 317

Glutenin
 extraction with SDS (Danno), 311

Grains
 breakage susceptibility in corn (Miller et al), 201
 decortication of sorghum (Shepherd), 303
 dielectric properties of; influence of moisture, density, and temperature (Nelson), 487
 dust; mineral components of (Lai et al), 417
 laboratory-scale decortication of (Shepherd), 463
 multi-sample dehulling device (Oomah et al), 392
 sorghum; tempering (Abdelrahman and Farrell), 307

Instruments and instrumentation
 decorticator for small grains (Shepherd), 463
 device for monitoring batter expansion (Clements and Donelson), 153
 Do-Corder to evaluate bread-making properties of dough (Nagao et al), 384
 Do-Corder to investigate rheological and bread-making properties of dough (Nagao et al), 388
 dough height tracker (Kilborn and Preston), 198
 falling number, effect of altitude (Lorenz and Wolt), 80
 gas chromatography for separation and estimation of neutral lipids from

wheat endosperm (Hsieh et al), 106, 362
 Stein breakage tester modification effects (Miller et al), 201
 variable speed dough mixer (Skeggs and Kingswood), 256

Iron
 in breads (Ranhotra et al), 471

Legumes
 air classification of (Tyler et al), 144
 effects of processing on composition and protein quality (Davis), 454
 isolation and estimation of cell wall material from peas (Reichert), 266
 starches; structural characterization of (Biliaderis et al), 486, 502

Lipids
 binding in breads; surfactant and soy flour effects on (Chung et al), 220
 in breadmaking (Pomeranz), 196
 flour; functionality in cookies (Clements and Donelson), 204
 flour; theoretical aspects and functional properties (MacRitchie), 156
 lipoxigenase biochemistry and role in breadmaking (Faubion and Hoseney), 175
 steryl esters and acylglycerols in wheat endosperm (Hsieh et al), 106, 362
 triticale; composition and bread-making characteristics of triticale flour (Zeringue et al), 351

Lipoxigenase
 biochemistry and role in breadmaking (Faubion and Hoseney), 175

Maize
 high-moisture; controlled-release ammonia or aqueous ammonia for preservation of (Van Cauwenberge et al), 293

Methods
 for decorticating sorghum (Shepherd), 463
 to determine low levels of α -amylase in wheats and flours (Kruger and Tipples), 271
 Do-Corder to evaluate bread-making properties of dough (Nagao et al), 384
 for elucidating how sorghum peels (Shepherd), 303
 extraction of unreduced glutenin from wheat flour (Danno), 311
 heat sink reference oven for bread baking (Kilborn and Tipples), 295
 preharvest sprouting assessment (Bhatt et al), 300

Microwave heating
 effect on microstructure of rapeseed (Maheshwari et al), 381

Millet
 pearl; activity toward starch granules (Beleia and Varriano-Marston), 437
 pearl; properties of partially purified alpha-amylase (Beleia and Varriano-Marston), 433

Milling
 of barley and sorghum (Oomah et al), 492
 Chinese and Canadian spring wheat cultivars compared (Kosmolak and Dyck), 246
 to decorticate sorghum (Shepherd), 303
 differential settling test to evaluate liquid cyclone classification performance (Hron), 334
 effect on trace element and protein content of barley and oats (Weaver et al), 120
 in laboratory decortication (Shepherd), 463
 multi-sample dehulling device (Oomah et al), 392
 sorghum into grits (Abdelrahman and Farrell), 521

Minerals
 bioavailability assessment with animal models (Spivey Fox et al), 6
 bioavailability of from cereals and legumes (Erdman), 21
 bioavailability of in citrate phosphate complexes (Ranhotra et al), 127
 components of grain dust (Lai et al), 417
 content in soluble and insoluble dietary fiber components (Frølich and Asp), 524
 diet fiber level effect on balances in humans (Kelsay), 2
 phytic acid and trace metal relation in wheat bran and soybean (Ellis and Morris), 367
 soy proteins in human diets in relation to iron and zinc bioavailability (Young and Janghorbani), 12
 trace; in oats, groats, and hulls grown on soil treated with sewage sludges (Kirlis et al), 530

Moisture
 effect on aflatoxin in barley (Chang and Markakis), 89

Mungbean
 physical and hydrodynamic studies on salt-soluble proteins of (Narang et al), 92

Nutrition
 of balady bread; effects of baking temperature and time (El-Samahy and Tsen), 546
 of breakfast cereals (Morris and Ellis), 363
 folacin retention in enriched cookies, regression analysis using factorial design (Connor and Keagy), 239
 protein, zinc, and copper relations (Ritchey), 18

- tribolium in nutritional evaluation of cereals (Shariff et al), 86
- trypsin inhibitor from rye endosperm (Boisen and Djurtoft), 194
- Oats**
- aleurone and starchy endosperm structure (Bechtel and Pomeranz), 61
- amino acid sequence determination in purothionin analogue from, letter to editor (Békés and Lásztity), 361
- heavy metal content of when grown on soil treated with sewage sludge (Kirleis et al), 530
- starch; effect of sucrose, salts, and acids (Paton), 35
- trace element and protein content in milled fractions (Weaver et al), 120
- Oxidation**
- mechanism for oxidative gelatin of wheat flour water-solubles (Hoseney and Faubion), 421
- use of salt for reduced fermentation time and bromate requirement in bread (Kilborn et al), 508
- Particle size**
- flour; relation of cultivar to cake volume (Chaudhary et al), 314
- Peanut**
- differential settling test to evaluate liquid cyclone classification performance (Hron), 334
- Peas**
- isolation and estimation of cell wall material (Reichert), 266
- Pentosans**
- water-soluble; mechanism of oxidative gelation of wheat flour (Hoseney and Faubion), 421
- Phytic acid**
- in breakfast cereals, method for determining (Davis), 347
- in breakfast cereals, phy/Zn molar ratio (Morris and Ellis), 363
- concentration in legumes and legume products (Davis), 454
- determination in bread, flour, and dough (Tangkongchitr et al), 226
- fate during breadmaking (Tangkongchitr et al), 229
- relation with trace metals in wheat bran and soybean (Ellis and Morris), 367
- Polyphenol oxidase**
- activities of wheat cultivars (Lamkin et al), 27
- Polyphenols**
- sorghum; evaluation of methods determining (Earp et al), 234
- Polysaccharides**
- cell-wall; analysis of, in oat and wheat brans, hemicelluloses and cellulose (Bertrand et al), 375
- Protein**
- amino-terminal amino acid sequence of hordein (Bietz), 83
- Protease**
- wheat, detection of genotypic and nitrogen effects (Bhatt et al), 300
- Protein**
- amino-terminal amino acid sequence of hordein (Bietz), 83
- content in breakfast cereals (Davis), 347
- corn; endosperm fractions, compared by gel electrophoresis (Wilson et al), 275
- of cultivated and wild cereals (Lester and Bekele), 113
- disc gel electrophoresis of soluble endosperm proteins of corn inbreds (Wilson), 401
- extractability; in breadmaking (Chung et al), 220
- fractionation of alcohol-soluble glutelin (Esen et al), 534
- fractionation of corn stillage fractions (Wu et al), 343
- granules; in eastern gamma grass (Bates et al), 138
- lipoygenase biochemistry and breadmaking functionality (Faubion and Hoseney), 175
- milling of barley and oats (Weaver et al), 120
- mungbean; physical and hydrodynamic studies on (Narang et al), 92
- quality; microbiological assay of legume products using *Tetrahymena pyriformis* (Davis), 454
- relation to zinc and copper in human nutrition (Ritchey), 18
- soy; N-terminal amino acid sequences and subunit structure of glycinin (Iyengar and Ravestein), 325
- soy; relation to iron and zinc bioavailability in human diets (Young and Janghorbani), 12
- zein; disulfide structure of (Paulis), 542
- Rapeseed**
- microwave treatment effect on microstructure of (Maheshwari et al), 381
- Rheology**
- changes in exudate viscosity of wheat strach pastes in presence of xanthan, guar, and CMC gums (Christianson et al), 513
- Do-Corder to evaluate bread-making properties of dough (Nagao et al), 384
- dough; Great Northern bean flour and protein concentrate effects on (Sathé et al), 97
- surface tension effect on rheological behavior of dough (Blokma), 481
- Rice**
- chemical composition as related to kernel thickness (Matthews et al), 331
- mineral elements on (Dikeman et al), 148
- Rye**
- flour, soluble and insoluble dietary fiber determination (Fröllich and Asp), 524
- identification among cereals (Boisen and Djurtoft), 194
- trypsin inhibitors, characterization and heat stability (Chang and Tsen), 211
- trypsin inhibitors isolation (Chang and Tsen), 207
- Salts**
- neutral; effect on wheat gluten protein properties (Preston), 317
- Scanning electron microscopy**
- of rice (Dikeman et al), 148
- Semolina**
- durum; adulteration by spring wheat farina, neutral lipids in (Hsieh et al), 106, 362
- Shortening**
- difference in expansion under vacuum of doughs with and without (Bell et al), 182
- mechanism for its improvement of loaf volume (Junge and Hoseney), 408
- use of surface-active agents in (Knightly), 171
- Sorghum**
- decorticating in laboratory mill (Shepherd), 463
- dehulling of (Oomah et al), 462
- dry milling for grits (Abdelrahman and Farrell), 521
- how a typical one peels (Shepherd), 303
- methods for measuring tannin levels (Earp et al), 234
- moisture penetration in (Abdelrahman and Farrell), 307
- multi-sample dehulling device (Oomah et al), 392
- Soybeans**
- decomposition of phospholipids during storage (Nakayama et al), 260
- N-terminal amino acid sequences and subunit structure of glycinin (Iyengar and Ravestein), 325
- phytic acid and trace mineral relation in (Ellis and Morris), 367
- trypsin inhibitors, thermal inactivation of (Ellenrieder et al), 291
- Soy products**
- determination of trypsin inhibitor content (Hamerstrand et al), 42
- Starch**
- from breadfruit; isolation and characterization of (Loos et al), 282
- changes in germinating dry beans (Labanciah and Luh), 135
- determination in cereal brans (Dintzis and Harris), 467
- heat-moisture treatment of, functional properties and baking potential (Lorenz and Kulp), 49
- heat-moisture treatment of, physicochemical properties (Kulp and Lorenz), 46
- kuzu; physicochemical properties of (Suzuki et al), 286
- legume; structural characterization of (Biliaderis et al), 486, 502
- sorption of water, sodium sulfate, and water-soluble alcohols by (BeMiller and Pratt), 517
- starch damage effect on Do-Corder curves (Endo et al), 538
- wheat; gelatination of, effect of xanthan, guar, and cellulose gums (Christianson et al), 513
- Storage**
- decomposition of soybean phospholipids (Nakayama et al), 260
- effect on hard red spring wheat flour (MacArthur and D'Appolonia), 53
- of wheat flour and corn meal, moisture and temperature effects (Bothast et al), 309
- Surfactants**
- in breadmaking (Pomeranz), 190
- edible beef tallow substitution in cakes (Bundy et al), 213
- effect on air incorporation and crumb grain of bread (Junge et al), 338
- effect on dough properties and proof time (Tsen and Weber), 180
- effect on lipid binding in breads (Chung et al), 220
- mechanism for their improvement of loaf volume (Junge and Hoseney), 408
- sucrose esters in breadmaking (Chung et al), 164
- theoretical aspects of in breadmaking (Krog), 158
- Symposia**
- impact of foods on trace mineral availability and metabolism (Hackler), 1
- lipid-related materials in breadmaking (Chung), 155
- Tannins**
- levels in sorghum, evaluation of methods for (Earp et al), 234
- Triticale**
- lipids; composition and bread-making characteristics of triticale flour (Zeringue et al), 351
- trypsin inhibitors, characterization and heat stability (Chang and Tsen), 211
- trypsin inhibitors isolation (Chang and Tsen), 207
- Trypsin inhibitors**
- characterization and heat stability, from rye, triticale, and wheat samples (Chang and Tsen), 211

- isolation from rye, triticale, and wheat samples (Chang and Tsen), 207
 modified analytical procedure in soy products (Hamerstrand et al), 42
 from rye endosperm; purification and properties (Boisen and Djurtoft), 194
 of soybean, thermal inactivation (Ellenrieder et al), 291
 from wheat, purification and characterization (Boisen and Djurtoft), 460
- Ultrastructure**
 of oats (Bechtel and Pomeranz), 61
- Viscosity**
 isolation and characterization of starch from breadfruit (Loos et al), 282
- Vitamins**
 effect of flour treatments on (Ranum et al), 32, 248
 folacin retention in enriched cookies, regression analysis using factorial design (Connor and Keagy), 239
- Wheat**
 by-product utilization (Waszczynskyj et al), 264
 Chinese and Canadian spring wheat cultivars compared (Kosmolak and Dyck), 246
 dielectric properties of, influence of moisture, density, and temperature (Nelson), 487
 durum; effect of starchy kernels, immaturity, and shrunken kernels on quality of (Dexter and Matsuo), 395
 effect of variety on baking properties (Marais and D'Appolonia), 444, 448
 extraction of unreduced glutenin with SDS (Danno), 311
 field-sprouted; distribution of α -amylase in (Finney et al), 355
 flours and bran; soluble and insoluble dietary fiber determination (Frølich and Asp), 524
 method for determining α -amylase of (Kruger and Tipples), 271
 micro baking evaluation of U.S. wheats for Iranian breads (Faridi et al), 428
 nutrient composition of; proximate analysis, thiamin, riboflavin, niacin, and pyridoxine (Davis et al), 116
 polyphenol oxidase activities in (Lamkin et al), 27
 preharvest sprouting (Bhatt et al), 300
 preharvest sprouting and α -amylase activity (McCrate et al), 424
 trypsin inhibitors, characterization and heat stability (Chang and Tsen), 211
 trypsin inhibitor from, purification and characterization (Boisen and Djurtoft), 460
 trypsin inhibitors isolation (Chang and Tsen), 207
 use of salt for reduced fermentation time and bromate requirement in bread (Kilborn et al), 508
- Wheat bran**
 phytic acid and trace mineral relation in (Ellis and Morris), 367
- Yeast**
 dough properties and proof times of yeasted doughs affected by surfactants (Tsen and Weber), 180
 dry; properties of in bread-making (Bruinsma and Finney), 477
- Zein**
 α and β forms; disulfide characteristics of (Paulis), 542
- Zinc**
 analysis by gel electrophoresis and isoelectric focusing (Wilson et al), 275
 bioavailability estimate in breakfast cereals; influence of phy/Zn molar ratio (Morris and Ellis), 363
 relation to copper in human nutrition (Ritchey), 18

Cereal Chemistry

Published by The American Association of Cereal Chemists, Inc.

Scientific Editor Paul E. Ramstad
Editor A. Elizabeth Sloan
Publisher Raymond J. Tarleton
Director of Publications and Communications Steven C. Nelson
Senior Editor Vera Baker
Technical Editor Ann King

Board of Editors

O. J. Banasik	I. C. Lee
J. E. Bernardin	R. L. Madl
R. S. Bhatt	D. G. Medcalf
O. K. Chung	J. Miller
R. L. Clements	R. L. Ory
B. J. Donnelly	K. R. Preston
B. L. Dronzek	G. S. Ranhotra
K. K. Keneaster	G. Reed
A. W. Kirleis	L. M. Seitz
F. G. Kosmolak	S. A. Watson

VOLUME 58, NUMBERS 1-6

JANUARY-NOVEMBER 1981

St. Paul, Minnesota

1981

CONTENTS

VOLUME 58, NUMBER 1

JANUARY-FEBRUARY 1981

iii Instructions to Authors

1-26 SYMPOSIUM: Impact of Foods on Trace Mineral Availability and Metabolism

- 1 Introduction. *L. R. Hackler*
- 2 Effect of Diet Fiber Level on Bowel Function and Trace Mineral Balances of Human Subjects. *J. L. Kelsay*
- 6 Animal Models for Assessing Bioavailability of Essential and Toxic Elements. *M. R. Spivey Fox, R. M. Jacobs, A. O. L. Jones, B. E. Fry, Jr., M. Rakowska, R. P. Hamilton, B. F. Harland, C. L. Stone, and S.-H. Tao*
- 12 Soy Proteins in Human Diets in Relation to Bioavailability of Iron and Zinc: a Brief Overview. *V. R. Young and M. Janghorbani*
- 18 Interrelationships Among Protein, Zinc, and Copper in Human Nutrition. *S. J. Ritchey*
- 21 Bioavailability of Trace Minerals from Cereals and Legumes. *J. W. Erdman, Jr.*
- 27 Polyphenol Oxidase Activities of Hard Red Winter, Soft Red Winter, Hard Red Spring, White Common, Club, and Durum Wheat Cultivars. *W. M. Lamkin, B. S. Miller, S. W. Nelson, D. D. Traylor, and M. S. Lee*
- 32 Effect of Bleaching, Maturing, and Oxidizing Agents on Vitamins Added to Wheat Flour. *P. M. Ramun, R. J. Loewe, and H. T. Gordon*
- 35 Behavior of Hinoat Oat Starch in Sucrose, Salt, and Acid. *D. Paton*
- 40 *Aspergillus flavus* Group, Aflatoxin, and Bright Greenish Yellow Fluorescence in Insect-Damaged Corn in Georgia. *D. M. Wilson, N. W. Widstrom, L. R. Marti, and B. D. Evans*
- 42 Trypsin Inhibitors in Soy Products: Modification of the Standard Analytical Procedure. *G. E. Hamerstrand, L. T. Black, and J. D. Glover*
- 46 Heat-Moisture Treatment of Starches. I. Physicochemical Properties. *K. Kulp and K. Lorenz*
- 49 Heat-Moisture Treatment of Starches. II. Functional Properties and Baking Potential. *K. Lorenz and K. Kulp*
- 53 Effects of Microwave Radiation and Storage on Hard Red Spring Wheat Flour. *L. A. MacArthur and B. L. D'Appolonia*
- 57 Flow Properties of Aqueous Gluten and Gluten Methyl Ester Dispersions. *T. Mita and H. Matsumoto*

- 61 Ultrastructure and Cytochemistry of Mature Oat (*Avena sativa* L.) Endosperm. The Aleurone Layer and Starchy Endosperm. *D. B. Bechtel and Y. Pomeranz*
- 69 Defatted and Reconstituted Wheat Flours. VII. The Effects of 0-12% Shortening (Flour Basis) in Bread Making. *O. K. Chung, M. D. Shogren, Y. Pomeranz, and K. F. Finney*
- 74 Note on the Effects of Baking on Methyl Phoxim and Malathion Residues in Bread. *L. K. Alnaji and A. M. Kadoum*
- 76 Note on the Suitability for Wet Milling of Corn Exposed to High Drying Temperatures at Different Moisture Contents. *R. B. Brown, G. N. Fulford, L. Otten, and T. B. Daynard*

VOLUME 58, NUMBER 2

MARCH-APRIL 1981

- 77 Beta-D-Glucan in Developing and Germinating Barley Kernels. *N. Prentice and S. Faber*
- 80 Effect of Altitude on Falling Number Values of Flours. *K. Lorenz and M. Wolt*
- 83 Amino-Terminal Amino Acid Sequence of Hordein. *J. A. Bietz*
- 86 Further Studies on the Nutritional Evaluation of Wheat, Triticale, and Rice Grains Using the Red Flour Beetle. *G. Shariff, P. Vohra, and C. O. Qualset*
- 89 Effect of Moisture Content on Aflatoxin Production in Barley. *H.-G. Chang and P. Markakis*
- 92 Physical and Hydrodynamic Studies on Salt-Soluble Proteins of Mungbean. *A. S. Narang, G. S. Bains, and I. S. Bhatia*
- 97 Effects of Addition of Great Northern Bean Flour and Protein Concentrates on Rheological Properties of Dough and Baking Quality of Bread. *S. K. Sathe, J. G. Ponte, Jr., P. D. Rangnekar, and D. K. Salunkhe*
- 101 Rheological Properties of Dough Made from Flour Exposed to Gaseous Ammonia. *M. Terada, J. Minami, and T. Yamamoto*
- 106 Direct Gas Chromatographic Estimation of Saturated Steryl Esters and Acylglycerols in Wheat Endosperm. *C. C. Hsieh, C. A. Watson, and C. E. McDonald*
- 110 Effect of High Doses of Gamma Rays on Corn Grains. I. Influence on the Chemical Composition of Whole Grains and the Technological Process of Starch and By-Product Isolation. *M. Roushdi, A. Harras, A. El-Meligi, and M. Bassim*
- 113 Amino Acid Composition of the Cereal Tef and Related Species of *Eragrostis* (Gramineae). *R. N. Lester and E. Bekele*

- 116 Evaluation of the Nutrient Composition of Wheat. II. Proximate Analysis, Thiamin, Riboflavin, Niacin, and Pyridoxine.
K. R. Davis, R. F. Cain, L. J. Peters, D. Le Tourneau, and J. McGinnis
- 120 Effect of Milling on Trace Element and Protein Content of Oats and Barley. *C. M. Weaver, P. H. Chen, and S. L. Ryneerson*
- 124 Use of Bright Greenish Yellow Fluorescence as a Presumptive Test for Aflatoxin in Corn. *O. L. Shotwell and C. Hesselstine*
- 127 Bioavailability of Iron, Magnesium, Zinc, and Calcium in Commercially Produced Citrate Phosphate Complexes.
G. S. Ranhotra, C. Lee, J. A. Gelroth, G. L. Winterringer, and F. A. Torrence
- 130 Microchemical Detection of Niacin, Aromatic Amine, and Phytin Reserves in Cereal Bran. *R. G. Fulcher, T. P. O'Brien, and S. I. Wong*
- 135 Changes of Starch, Crude Fiber, and Oligosaccharides in Germinating Dry Beans. *M. E. O. Labaneiah and B. S. Luh*
- 138 Eastern Gama Grass. Seed Structure and Protein Quality.
L. S. Bates, M. Bender, and W. Jackson
- 142 Counteracting the Deleterious Effects of Fiber in Breadmaking.
M. D. Shogren, Y. Pomeranz, and K. F. Finney
- 144 Air Classification of Legumes. I. Separation Efficiency, Yield, and Composition of the Starch and Protein Fractions. *R. T. Tyler, C. G. Youngs, and F. W. Sosulski*
- 148 Distribution of Elements in the Rice Kernel Determined by X-Ray Analysis and Atomic Absorption Spectroscopy. *E. Dikeman, D. B. Bechtel, and Y. Pomeranz*
- 153 Note on a Simple Device for Monitoring Batter Expansion in Layer Cakes During Baking. *R. L. Clements and J. R. Donelson*
- 154 Erratum

VOLUME 58, NUMBER 3

MAY-JUNE 1981

SYMPOSIUM: Theory and Application of Lipid-Related Materials in Breadmaking: Today and Tomorrow (Not Yesterday)

- 155 Introduction. *O. K. Chung*
- 156 Flour Lipids: Theoretical Aspects and Functional Properties.
F. MacRitchie
- 158 Theoretical Aspects of Surfactants in Relation to Their Use in Breadmaking. *N. Krog*
- 164 Sucrose Monoesters and Diesters in Breadmaking. *H. Chung, P. A. Seib, K. F. Finney, and C. D. Magoffin*

- 171 Shortening Systems: Fats, Oils, and Surface-Active Agents—Present and Future. *W. H. Knightly*
- 175 Lipoxygenase: Its Biochemistry and Role in Breadmaking. *J. M. Faubion and R. C. Hoseney*
- 180 Dough Properties and Proof Times of Yeasted Doughs Affected by Surfactants. *C. C. Tsen and J. Weber*
- 182 Vacuum Expansion of Mechanically Developed Doughs at Proof Temperature: Effect of Shortening. *B. M. Bell, D. G. H. Daniels, and N. Fisher*
- 186 Bread Staling. *B. L. D'Appolonia and M. M. Morad*
- 190 Wrap-Up of Symposium on Theory and Application of Lipid-Related Materials in Breadmaking: Today and Tomorrow (Not Yesterday). *Y. Pomeranz*
- 194 Trypsin Inhibitor from Rye Endosperm: Purification and Properties. *S. Boisen and R. Djurtoft*
- 198 A Dough Height Tracker and Its Potential Application to the Study of Dough Characteristics. *R. H. Kilborn and K. R. Preston*
- 201 Effects of Modifications of a Model CK2 Stein Breakage Tester on Corn Breakage Susceptibility. *B. S. Miller, J. W. Hughes, R. Rousser, and G. D. Booth*
- 204 Functionality of Specific Flour Lipids in Cookies. *R. L. Clements and J. R. Donelson*
- 207 Isolation of Trypsin Inhibitors from Rye, Triticale, and Wheat Samples. *C.-R. Chang and C. C. Tsen*
- 211 Characterization and Heat Stability of Trypsin Inhibitors from Rye, Triticale, and Wheat Samples. *C.-R. Chang and C. C. Tsen*
- 213 Edible Beef Tallow Substitution in White Layer Cakes. *K. T. Bundy, M. E. Zabik, and J. I. Gray*
- 216 Simulated Approach to the Estimation of Degree of Cooking of an Extruded Cereal Product. *D. Paton and W. A. Spratt*
- 220 Functional Properties of Sufactants in Breadmaking. III. Effects of Surfactants and Soy Flour on Lipid Binding in Breads. *O. K. Chung, C. C. Tsen, and R. J. Robinson*
- 226 Phytic Acid. I. Determination of Three Forms of Phosphorus in Flour, Dough, and Bread. *U. Tangkongchitr, P. A. Seib, and R. C. Hoseney*
- 229 Phytic Acid. II. Its Fate During Breadmaking. *U. Tangkongchitr, P. A. Seib, and R. C. Hoseney*
- 234 Evaluation of Several Methods to Determine Tannins in Sorghums with Varying Kernel Characteristics. *C. F. Earp, J. O. Akingbala, S. H. Ring, and L. W. Rooney*

- 239 Folacin Retention and Cookie Diameter in Enriched Cookies: Regression Analysis Using Factorial Design. *M. A. Conner* and *P. M. Keagy*
- 245 NOTE: Beta-Glucanase as an Aid in Measuring Neutral Detergent Fiber in Barley Kernels. *N. J. L. Roth, G. H. Watts,* and *C. W. Newman*
- 246 NOTE: Milling and Baking Qualities of Ten Spring Wheat Cultivars from the People's Republic of China. *F. G. Kosmolak* and *P. L. Dyck*
- 248 Errata

VOLUME 58, NUMBER 4

JULY-AUGUST 1981

- 249 Preparation and Properties of Spray-Dried Pea Protein Concentrate-Cheese Whey Blends. *P. R. Patel, C. G. Youngs,* and *D. R. Grant*
- 256 Mechanical Dough Development—Pilot Scale Studies. *P. K. Skeggs* and *K. Kingswood*
- 260 Decomposition of Phospholipids in Soybeans During Storage. *Y. Nakayama, K. Saio,* and *M. Kito*
- 264 Extraction of Proteins from Wheat Bran: Application of Carbohydrases. *N. Waszczynskyj, C. S. Rao,* and *R. S. F. Da Silva*
- 266 Quantitative Isolation and Estimation of Cell Wall Material from Dehulled Pea (*Pisum sativum*) Flours and Concentrates. *R. D. Reichert*
- 271 Modified Procedure for Use of the Perkin-Elmer Model 191 Grain Amylase Analyzer in Determining Low Levels of α -Amylase in Wheats and Flours. *J. E. Kruger* and *K. H. Tipples*
- 275 Maize Endosperm Proteins Compared by Sodium Dodecyl Sulfate Gel Electrophoresis and Isoelectric Focusing. *C. M. Wilson,* *P. R. Shewry,* and *B. J. Mifflin*
- 282 Isolation and Characterization of Starch from Breadfruit. *P. J. Loos,* *L. F. Hood,* and *H. D. Graham*
- 286 Physicochemical Studies of Kuzu Starch. *A. Suzuki, S. Hizukuri,* and *Y. Takeda*
- 291 Thermal Inactivation of Trypsin Inhibitors in Aqueous Extracts of Soybeans. Studies on Substances That Accelerate Inactivation. *G. Ellenrieder, S. Blanco,* and *A. Bondoni*
- 293 Comparison of Controlled-Release Ammonia Solutions and Aqueous Ammonia for Preserving High-Moisture Maize. *J. E. Van Cauwenberge, R. J. Bothast,* and *D. C. Young*
- 295 Heat Sink References Oven. *R. H. Kilborn* and *K. H. Tipples*

- 300 Preharvest Sprouting in Hard Winter Wheats: Assessment of Methods to Detect Genotypic and Nitrogen Effects and Interactions. *G. M. Bhatt, G. M. Paulsen, K. Kulp, and E. G. Heyne*
- 303 NOTE: How a Typical Sorghum Peels. *A. D. Shepherd*
- 307 NOTE: Use of an Electrical Conductance Moisture Meter to Study Tempering Rates in Grain Sorghum. *A. A. Abdelrahman and E. P. Farrell*
- 309 Effects of Moisture and Temperature on Microbiological and Sensory Properties of Wheat Flour and Corn Meal During Storage. *R. J. Bothast, R. A. Anderson, K. Warner, and W. F. Kwolek*
- 311 Extraction of Unreduced Glutenin from Wheat Flour with Sodium Dodecyl Sulfate. *G. Danno*
- 314 Relation of Cultivar and Flour Particle Size Distribution to Cake Volume. *V. K. Chaudhary, W. T. Yamazaki, and W. A. Gould*
- 317 Effects of Neutral Salts upon Wheat Gluten Protein Properties. I. Relationship Between the Hydrophobic Properties of Gluten Proteins and Their Extractability and Turbidity in Neutral Salts. *K. R. Preston*
- 325 New Aspects of Subunit Structure of Soybean Glycinin. *R. B. Iyengar and P. Ravestien*
- 331 Chemical Composition of Starbonnet Variety Rice Fractionated by Rough-Rice Kernel Thickness. *J. Matthews, J. I. Wadsworth, and J. J. Spadaro*
- 334 Differential Settling Test for Evaluation of Liquid Cyclone Classification Performance. *R. J. Hron, Sr.*
- 338 Effect of Surfactants on Air Incorporation in Dough and the Crumb Grain of Bread. *R. C. Junge, R. C. Hoseney, and E. Varriano-Marston*
- 343 Protein-Rich Residue from Corn Alcohol Distillation: Fractionation and Characterization. *Y. V. Wu, K. R. Sexson, and J. S. Wall*
- 347 Proximate Composition, Phytic Acid, and Total Phosphorus of Selected Breakfast Cereals. *K. R. Davis*
- 351 Triticale Lipids: Composition and Bread-Making Characteristics of Triticale Flours. *H. J. Zeringue, Jr., B. Singh, and R. O. Feuge*
- 355 Alpha-Amylase in Field-Sprouted Wheats: Its Distribution and Effect on Japanese-Type Sponge Cake and Related Physical and Chemical Tests. *K. F. Finney, O. Natsuaki, L. C. Bolte, P. R. Mathewson, and Y. Pomeranz*
- 360 COMMUNICATION TO THE EDITOR: Isolation and Determination of Amino Acid Sequence of Avenothionin, a New Purothionin Analogue from Oat. *F. Békés, and R. Lásztity*
- 362 Erratum

VOLUME 58, NUMBER 5

SEPTEMBER-OCTOBER 1981

- 363 Phytate-Zinc Molar Ratio of Breakfast Cereals and Bioavailability of Zinc to Rats. *E. R. Morris and R. Ellis*

- 367 Relation Between Phytic Acid and Trace Metals in Wheat Bran and Soybean. *R. Ellis and E. R. Morris*
- 370 Extrusion Cooking of a High-Fiber Cereal Product with Crispbread Character. *Y. Andersson, B. Hedlund, L. Jonsson, and S. Svensson*
- 375 Effects of Rat Digestion upon Native, Enzymically or Chemically Modified Wheat Brans and Native Oat Bran. *D. Bertrand, J. M. Brillouet, V. F. Rasper, B. Bouchet, and C. Mercier*
- 381 Effect of Microwave Treatment on the Microstructure of Dehulled Rapeseed. *P. N. Maheshwari, D. W. Stanley, F. R. van de Voort, and J. I. Gray*
- 384 The Do-Corder as a Possible Tool to Evaluate the Bread-Making Properties of a Dough. *S. Nagao, S. Endo, K. Takeya, and K. Tanaka*
- 388 Effect of Fermentation on the Do-Corder and Bread-Making Properties of a Dough. *S. Nagao, S. Endo, and K. Tanaka*
- 392 A Novel, Multi-Sample, Tangential Abrasive Dehulling Device (TADD). *B. D. Oomah, R. D. Reichert, and C. G. Youngs*
- 395 Effect of Starchy Kernels, Immaturity, and Shrunken Kernels on Durum Wheat Quality. *J. E. Dexter and R. R. Matsuo*
- 401 Variations in Soluble Endosperm Proteins of Corn (*Zea mays* L.) Inbreds as Detected by Disc Gel Electrophoresis. *C. M. Wilson*
- 408 A Mechanism by Which Shortening and Certain Surfactants Improve Loaf Volume in Bread. *R. C. Junge and R. C. Hoseney*
- 413 Cottonseed Flour's Functionality in Egyptian Baladi Bread. *M. A. El-Minyawi and M. E. Zabik*
- 417 Mineral Components of Grain Dust. *F. S. Lai, Y. Pomeranz, C. R. Martin, E. Dikeman, and B. S. Miller*
- 421 A Mechanism for the Oxidative Gelation of Wheat Flour Water-Soluble Pentosans. *R. C. Hoseney and J. M. Faubion*
- 424 Preharvest Sprouting and α -Amylase Activity in Hard Red and Hard White Winter Wheat Cultivars. *A. J. McCrate, M. T. Nielsen, G. M. Paulsen, and E. G. Heyne*
- 428 Micro Baking Evaluation of Some U.S. Wheat Classes for Suitability in Iranian Breads. *H. A. Faridi, P. L. Finney, and G. L. Rubenthaler*
- 433 Pearl Millet Amylases. I. Properties of Partially Purified Alpha-Amylase. *Adelaide Beleia and E. Varriano-Marston*
- 437 Pearl Millet Amylases. II. Activity Toward Intact and Heated Starch Granules. *Adelaide Beleia and E. Varriano-Marston*
- 441 Single-Cell Protein Substitution in a Bread System: Rheological Properties and Product Quality. *T. A. Volpe and M. E. Zabik*
- 444 Factors Contributing to Baking Quality Differences in Hard Red Spring Wheat. I. Bases for Different Loaf Volume Potentials. *G. F. Marais and B. L. D'Appolonia*
- 448 Factors Contributing to Baking Quality Differences in Hard Red Spring Wheat. II. Bases for Different Mixing Properties. *G. F. Marais and B. L. D'Appolonia*

- 454 Effect of Processing on Composition and *Tetrahymena* Relative Nutritive Value of Green and Yellow Peas, Lentils, and White Pea Beans. *K. R. Davis*
- 460 Trypsin Inhibitor from Wheat Endosperm: Purification and Characterization. *S. Boisen and R. Djurtoft*
- 463 Laboratory Abrasive Decorticating Mill—Influence of Machine and Operating Variables. *A. D. Shepherd*
- 467 Starch Determination in Some Dietary Fiber Sources. *F. R. Dintzis and C. C. Harris*
- 471 Iranian Flat Breads: Relative Bioavailability of Iron. *G. S. Ranhotra, J. A. Gelroth, F. A. Torrence, M. A. Bock, and G. L. Winterringer*
- 474 Collaborative Evaluation of a Rapid Nephelometric Method for the Measurement of Alpha-Amylase in Flour. *B. G. Osborne, S. Douglas, T. Fearn, C. Moorhouse, and M. J. Heckley*
- 477 Functional (Bread-Making) Properties of a New Dry Yeast. *B. L. Bruinsma and K. F. Finney*
- 480 Erratum

VOLUME 58, NUMBER 6

NOVEMBER-DECEMBER 1981

- 481 Effect of Surface Tension in the Gas-Dough Interface on the Rheological Behavior of Dough. *A. H. Bloksma*
- 487 Review of Factors Influencing the Dielectric Properties of Cereal Grains. *S. O. Nelson*
- 492 Quantitative Comparison Between Carborundum Stones and Resinoid Disks in Dehulling Cereal Grains. *B. D. Oomah, R. D. Reichert, and C. G. Youngs*
- 496 Structural Characterization of Legume Starches. I. Studies on Amylose, Amylopectin, and Beta-Limit Dextrins. *C. G. Biliaderis, D. R. Grant, and J. R. Vose*
- 502 Structural Characterization of Legume Starches. II. Studies on Acid-Treated Starches. *C. G. Biliaderis, D. R. Grant, and J. R. Vose*
- 508 Sponge-and-Dough Bread. I. Reduction of Fermentation Time and Bromate Requirement by the Incorporation of Salt in the Sponge. *R. H. Kilborn, S. Nomura, and K. R. Preston*
- 513 Gelatinization of Wheat Starch as Modified by Xanthan Gum, Guar Gum, and Cellulose Gum. *D. D. Christianson, J. E. Hodge, D. Osborne, and R. W. Detroy*
- 517 Sorption of Water, Sodium Sulfate, and Water-Soluble Alcohols by Starch Granules in Aqueous Suspension. *J. N. BeMiller and G. W. Pratt*
- 521 Grits from Grain Sorghum Dry Milled on Roller Mills. *A. A. Abdelrahman and E. P. Farrell*
- 524 Dietary Fiber Content in Cereals in Norway. *W. Frølich and N.-G. Asp*

- 527 Development of Cake Structure: Influence of Ingredients on the Measurement of Cohesive Force During Baking. *D. Paton, G. M. Larocque, and J. Holme*
- 530 Heavy Metal Content of Groats and Hulls of Oats Grown on Soils Treated with Sewage Sludges. *A. W. Kirleis, L. E. Sommers, and D. W. Nelson*
- 534 Fractionation of Alcohol-Soluble Reduced Corn Glutelins on Phosphocellulose and Partial Characterization of Two Proline-Rich Fractions. *A. Esen, J. A. Bietz, J. W. Paulis, and J. S. Wall*
- 538 Interpretation of Do-Corder Curves. Identification of Flour Components Influencing Curve Characteristics. *S. Endo, S. Nagao, and K. Tanaka*
- 542 Disulfide Structures of Zein Proteins from Corn Endosperm. *J. W. Paulis*
- 546 Effects of Varying Baking Temperature and Time on the Quality and Nutritive Value of Balady Bread. *S. K. El-Samahy and C. C. Tsen*
- 549 Author Index, Volume 58
- 552 Subject Index, Volume 58
- 557 Contents Index, Volume 58

